

INDEX

Synonyms are printed in *italics*; new names in bold face type.

- Acacia angustissima**, 176
— *Farnesiana*, 176
Acer Buergerianum trinerve, 217
— *cappadocicum horticola*, 216
— — *rubrum*, 216
— — *colchicum rubrum*, 216
— — *Hersii*, 217
— — *laetum colchicum horticola*, 216
— — — *rubrum*, 216
— — — *rubrum*, 216
— — *Lobelii laetum colchicum horticola*, 216
— — *neapolitanum*, 217
— — *obtusatum neapolitanum*, 217
— — *Opalus neapolitanum*, 217
— — — *tomentosum*, 217
— — *opulifolium tomentosum*, 217
— — *pictum rubrum*, 216
— — **stenolobum**, 216
— — *trifidum*, 217
— — *trinerve*, 217
Additions to the Library, 58
Aesculus discolor Koehnei, 219
— *humilis*, 219
— — *Pavia humilis*, 219
— — — *humilis*, 219
— — — *nana*, 219
— — *rubra humilis pendula*, 219
— — *turbinata pubescens*, 219
Ageria Cassena, 212
— *geminata*, 213
Alnus rugosa, 174
— *serrulata*, 174
American Willows, Notes on, XII, 61
Amorpha canescens, 176
— *fruticosa*, 176
— — var. *croceolanata*, 176
— — *paniculata*, 176
— — *tennesseensis*, 176
Ampelopsis arborea, 178
— *cordata*, 178
— — *Davidi*, 223
— — *Davidiana*, 223
Ampelovitis, 223
— — *Davidi*, 223
— — *Davidiana*, 223
— — *Davidi*, 223
Amygdalo-Persica, 26
Amygdalopersicus, 26
Amygdalus Amygalo-Persica, 26
— — *argentea*, 27
— — *communi-Persica*, 26
— — *communis amygdalo-persica*, 26
— — — × *Persica*, 26
— — — *persicooides*, 26
— — *hortensis*, 26
— — *hybrida*, 26
— — *orientalis*, 27
— — *Persica Aganopersica*, 25
— — — *Duracina*, 25
— — — *flore pleno*, 24
— — — *multiplex*, 24
— — — *nucipersica Aganonucipersica*, 25
Amygdalus Persica plena, 24
— — — *rosea plena*, 24
— — — *Scleropersica*, 25
— — *persicooides*, 26
— — *Persico-amygda*, 26
— — *pumila*, 27
Amygdalus-Persica Persica Persica-duplex, 24
Andromeda nitida, 179
Anisostichus capreolata, 181
Aristolochia durior, 42
— — *macrophylla*, 42
— — *Sipho*, 42
Armeniaca mume alba, 20, 21
— — — *Alphandi*, 20, 21
Arnold Arboretum, The first fifty years of the, 127
— — — New Species, Varieties and Combinations from the Herbarium and the Collections of the, 11, 207
Aronia arbutifolia, 176
— — — *macrophylla*, 176
Asimina parviflora, 175
Ascyrum hypericoides, 179
— — *multicaule*, 179
— — *stans*, 179
Azalea canescens, 179
— — *serrulata*, 179
Baccharis angustifolia, 181
— — *halimifolia*, 181
Benzoin aestivale, 175
Berchemia scandens, 178
Betula alascana, 206
— — **neoalaskana**, 206
Bibliographical Notes, 227
Bignonia radicans, 181
Brunnichia cirrhosa, 174
Callicarpa americana, 181
Calycanthus fertilis nanus, 176
— — *floridus*, 176
Calycocarpum Lyoni, 174
Camellia elongata, 224
Capsicum baccatum, 180
Caragana frutescens grandiflora, 40
Caragana frutex grandiflora, 40
— — — *macrantha*, 40
Cassine caroliniana, 212, 214
— — *corymbosa*, 214
— — *Paragua*, 212
— — *Peragua*, 212, 213, 214
— — *ramulosa*, 213
Castanea nana, 174
Ceanothus albus plenus, 222
— — *americanus*, 178
— — *americanus* × *azureus*, 221
— — — *coeruleus*, 221
— — — — *ovatus*, 221
— — — *flore albo pleno*, 222
— — — *floribus subcoeruleis*, 221

- Ceanothus americanus* \times *thyrsiflorus*, 222
 — *Arnouldii*, 221
 — *azureus*, 221
 — — *Arnoldii*, 221
 — — *flore albo pleno*, 222
 — — *roseus*, 222
 — *bicolor*, 221
 — *coeruleus*, 221
 — *Delilianus*, 221
 — — \times *ovatus*, 221
 — *Dillenianus*, 221
 — *flore albo pleno*, 222
 — *Fontanesianus cyaneus*, 221
 — — *roseus*, 222
 — *hybridus*, 221, 222
 — — "Albus plenus," 222
 — — "Arnoldii," 221
 — — *pallidus*, 221
 — — *roseus*, 222
 — *intermedius*, 178
 — *intermedius*, 221
 — *ovalis* \times *thyrsiflorus*, 221
 — *ovatus flore cyaneo*, 221
 — — *roseus*, 222
 — *pallidus*, 221
 — — *plenus*, 222
 — — *roseus*, 222
 — *pulchellus*, 221
 — *roseus*, 222
 — *versincinnensis*, 221
Celastrus scandens, 178
Cerasus acida *flore pleno*, 30
 — — *plena*, 31
 — — *Rhexii*, 31
 — *austera multiplex*, 30
 — *avium fl. pl. serotino*, 31
 — *caproniana multiplex*, 30
 — — *ranunculiflora*, 31
 — *chinensis*, 27
 — *hortensis flore pleno*, 30
 — *japonica multiplex*, 27, 28
 — *Mahaleb fructu albo*, 31
 — — *fructo flavo*, 31
 — — *xanthocarpa*, 31
 — *multiflora*, 30
 — *Rhexii*, 31
 — *sinensis*, 28
 — *vulgaris duplicitiflora*, 30
 — — *flore pleno*, 30
 — — *Rhexii*, 31
Cestrum Parquii, 181
Chrysobalanus oblongifolius, 176
Cissus incisa, 178
Clethra alnifolia, 179
 — *tomentosa*, 179
Cocculus carolinus, 174
Cocks, R. S. A List of the Shrubs of Louisiana, 173
Cornus amomum \times *macrophylla*, 46
 — *asperifolia* \times *macrophylla*, 45
 — *Dunbarii*, 45
 — *Horseyi*, 46
 — *stricta*, 179
Cotinus coccinea atropurpurea, 212
 — *coggia atropurpurea*, 212
 — — *purpureus*, 212
Crataegus abbreviata, 187
 — *aboriginum*, 196
 — *Crataegus anamesa*, 189
 — *antimima*, 191
 — *antiplasta*, 190
 — *apiifolia* \times *brachyphylla*, 9
 — *araioclada*, 5, 182
 — *blanda*, 182
 — *brachyantha leucocarpa*, 10
 — *brachyphylla*, 8
 — *Brownii*, 199
 — *caerulescens*, 193
 — *carrollensis*, 204
 — *cherokeensis*, 1
 — *choriophylla*, 201
 — *conjungens*, 200
 — *Croomiana*, 202
 — *desertorum*, 187
 — *ellipticifolia*, 194
 — *Harveyana*, 200
 — *intermixta*, 5
 — *kingstonensis*, 205
 — *lawrencensis*, 3
 — *limnophila*, 3
 — *Margareta Brownii*, 399
 — — *xanthocarpa*, 200
 — *mariettensis*, 194
 — *meiophylla*, 198
 — *mercerensis*, 197
 — *notha*, 9
 — *nuda*, 10
 — *ohioensis*, 183
 — *phaneroneura*, 2
 — *poliophylla*, 185
 — *rotundifolia aboriginum*, 196
 — — *rubescens*, 197
 — *stenosepala*, 186
 — *sublobulata*, 4
 — *subpilosa*, 6
 — *sutherlandensis*, 192
 — — *spinescens*, 193
 — *swanensis*, 182
 — *transmississippiensis*, 7
 — *tripartita*, 188
 — *uvaldensis*, 195
 — *Victorinii*, 203
 — *Warneri*, 184
Cyrilla racemiflora parvifolia, 177
Cytisus albus microphyllus, 35
 — — *pallidus*, 36
 — *austriacus microphyllus*, 35
 — — *pallidus*, 36
 — *banaticus*, 36
 — *emeriflorus*, 35
 — *glabrescens*, 35
 — *leucanthus microphyllus*, 35
 — — *pallidus*, 36
 — *microphyllus*, 35
 — *pallidus*, 36
 — *scoparius erniensis*, 35
 — — *flore pleno*, 35
 — — *plenus*, 35
 — *supinus albus microphylloides*, 35
 — — *microphyllus*, 36
 — — *pallidus*, 36
 — — *banaticus*, 36
 — *tener*, 34
 — *triangularis*, 34
 — *variabilis*, 36
Daubentonia longifolia, 176

- Decumaria barbara*, 175
Desmodium cinerascens, 41
 — *Franchetii*, 41
 — *spicatum*, 41
 — *tiliaeefolium*, 41

Euscaphis japonica ternata, 215
Evonymus americana, 177

 First fifty years of the Arnold Arboretum,
 The, 127

Gaylussacia dumosa, 180
 — *frondosa*, 180
 — *hirtella*, 180
Gelsemium sempervirens, 180
Genista genuensis, 34
 — *glabrescens*, 35
 — *gracilis*, 34
 — *scariosa*, 34
 — *tenera*, 34
 — *triangularis*, 34
 — *triquetra*, 34
 — *januensis*, 34
 — *virgata*, 34
Gleditsia brachycarpa, 207
 — *texana*, 182, 206
 — *triacanthos brachycarpa*, 207
Grossularia campestris, 175

Hamamelis virginiana rubescens, 210
Hierophyllum Cassine, 212
Hobart Botanical Gardens, The, 51
Hydrangea arborescens, 175
 — *Belzonii*, 43
 — *Hortensia Belzonii*, 43
 — — *coerulea*, 43
 — *hortensis Belzonii*, 43
 — *japonica coerulea*, 43
 — — *coerulescens*, 43
 — *opuloides japonica Belzonii*, 43
 — *opuloides coerulea*, 43
 — *quercifolia*, 175
Hypericum apocynifolium, 179
 — *aspalathoides*, 179
 — *fasciculatum*, 179
 — *lobocarpum*, 179
 — *nudiflorum*, 179
 — *prolificum*, 179

Ilex ambigua, 177, 214
 — *Amelanchier*, 177
 — *Aquifolium elliptica*, 212
 — — *flammea angustifolia*, 212
 — — *× dipyrena*, 212
 — *Beanii*, 212
 — *caroliniana*, 177, 214
 — *caroliniana*, 214
 — *Cassena*, 212
 — *Cassine*, 212
 — *dipyrena elliptica*, 212
 — *dubia monticola*, 177, 215
 — *elliptica*, 212
 — *floridana*, 212
 — *glabra*, 177
 — *ligustrina*, 213
 — *longipes*, 177
 — *Macfadyenii*, 215

 Ilex *montana*, 177, 215
 — *monticola*, 177, 215
 — *montana*, 215
 — *myrtifolia*, 177
 — *Peragua*, 212, 214
 — *ramulosa*, 213
 — *religiosa*, 212
 — *verticillata*, 177
 — *vomitoria*, 212
Illicium floridanum, 174
Itea virginica, 175
Iva fruticosa, 181

Juniperus Bedfordiana, 208
 — *gracilis*, 208
 — *lucayana bedfordiana*, 208
 — *squamata Meyeri*, 207
 — *virginiana Bedfordiana*, 208
 — — *gracilis*, 208

Leucothoe axillaris, 179
 — *racemosa*, 179
Ligustrum ibolium, 50
 — *ibota*, 50
 — *obtusifolium*, 50
 — — *× ovalifolium*, 50
 List of the Shrubs of Louisiana, A, 173
Litsea geniculata, 175
Lonicera Caprifolium, 181
 — *japonica*, 181
 — *sempervirens*, 181
 Louisiana, A list of the Shrubs of, 173
Lycium carolinianum, 180
 — *halimifolium*, 180
 — *vulgare*, 180
Lyonia ligustrina foliosiflora, 180

Menispermum canadense, 174
Mouillefert. Traité des arbres & arbrisseaux. Bibliographical Notes, 227
Myrica carolinensis, 174
 — *cerifera pumila*, 174
 — *inodora*, 174

Nemopanthes ambiguus, 214
 New Species, Varieties and Combinations from the Herbarium and the Collections of the Arnold Arboretum, 11, 207
 North American Trees, IX, X, Notes on, 1, 182
 Notes, 55
 Notes on American Willows, XII, 61
 Notes from Australasia, III. The Hobart Botanical Gardens, 51
 Notes, Bibliographical, 227
 Notes on North American Trees, IX, X, 1, 182
 Nouveau Duhamel. Bibliographical Notes, 227

Oreophila myrtifolia, 212

Parthenocissus quinquefolia hirsuta, 178
 — — *Saint-Paulii*, 178
Pavia humilis, 219
 — *pendula*, 219
 — *pumila*, 219
 — *rubra humilis*, 219

Pavia rubra humilis pendula, 219
Persica amygdaloïdes, 26
— *domestica*, 25
— *duplex*, 24
— *laevis*, 25
— — *var.*, 25
— *levis*, 25
— *violacea*, 25
— *vulgaris*, 25
— — *aganopersica*, 25
— — *flore pleno*, 24
— — *flore pleno roseo*, 24
— — *isolata*, 25
— — *duracina*, 25
— — *scleropersica*, 25
— — *tomentosa diapyrena*, 25
— — *tomentosa sympyrena*, 25
— — *var.*, 25
Philadelphus grandiflorus, 175
Phoradendron flavescens, 174
Pieris lucida, 179
Pinus cebennensis, 208
— *horizontalis*, 208
— *Laricio*, 208
— — *cebennensis*, 208
— — *leptophylla*, 208
— — *monspeliensis*, 208
— — *pyrenaica*, 208
— — *Salzmanni*, 208
— — *tenuifolia*, 208
— — *monspeliensis*, 208
— — *nigra cebennensis*, 208
— — *leptophylla*, 208
— — *Salzmannii*, 208
— — *tenuifolia*, 208
— — *pyrenaica*, 208
— *resinosa globosa*, 41
— *Salzmanni*, 208
Poplars, Two New Asiatic, 225
Populus koreana, 226
— *Purdomii*, 225
Potentilla fruticosa Purdomii, 209
Prinos ambiguus, 214
— *lancolatus*, 215
— *Macfadyenii*, 215
— *montana*, 215
— *glaber*, 212
Prosopis juliflora constricta, 176
Prunus americana × maritima, 18
— **amygdalo-persica**, 26
— *Amygdalus persicoides*, 26
— — *praecox*, 26
— — **argentea**, 27
— — *caproniana serotina flore pleno*, 31
— — *Cerasus caproniana ranunculifera*, 31
— — *flore albo pleno*, 30
— — — *flore alboplano Rhexii*, 31
— — — *flore pleno*, 30
— — — *plena*, 30
— — — *ranunculiflora*, 31
— — — *Rhenii*, 31
— — — *Rhexii*, 31
— — — — *flore pleno*, 31
— — — — *plena*, 31
— — — *semiplena*, 30
— — — *vulgaris plena*, 31
— — *chinensis*, 27
— *communis amygdalo-persica*, 26
— — *× Persica*, 25

Prunus dehiscens, 24
— **Dunbarii**, 18
— *glandulosa sinensis*, 27
— *japonica fukienensis*, 29
— — *Kerii*, 28
— — — *multiplex*, 28
— — — *Nakaii*, 29
— — *kansuensis*, 21
— — *laevis*, 25
— — *Mahaleb chrysocarpa*, 31
— — — *fructu albo*, 31
— — — *fructu luteo*, 31
— — — *xanthocarpa*, 31
— — *mira*, 23
— — *mume*, 19
— — — *alba*, 21
— — — *albo-plena*, 20
— — — *Alphandii*, 21
— — — *bungo*, 20
— — — *Goethartiana*, 20
— — — *pendula*, 20
— — — *pleiocarpa*, 20
— — — *tonsa*, 19
— — — *typica*, 20
— — *Myrobalana fl. roseis*, 20
— — *Nakaii*, 29
— — *orientalis*, 27
— — *Persica aganopersica*, 25
— — — **duplex**, 24
— — — — *flore pleno*, 24
— — — — *flore roseo-pleno*, 24
— — — — *aganonucipersica*, 25
— — — — *scleronucipersica*, 25
— — — — *sclero-persica*, 25
— — — — *persico-amygdala*, 26
— — — — *persicoides*, 26
— — — — *triloba*, 30
— — — — *triloba normalis*, 30
Prunus-Cerasus Cerasus plena, 30
Ptelea trifoliata, 176
— — *mollis*, 177
Purdom, William. Notes, 55
Quercus virginiana, 181
— — *eximia*, 181
Rhamnus Alaternus albo-variegatus, 220
— — — *argenteo-variegata*, 220
— — — *aureo-variegata*, 221
— — — *foliis argenteis*, 220
— — — *variegata*, 220
Rhamnus-Alaternus communis argenteo-variegatus, 220
— — — *aureo-variegatus*, 221
REHDER, ALFRED, New Species, Varieties and Combinations from the Herbarium and the Collections of the Arnold Arboretum, 11, 207
— *Two New Asiatic Poplars*, 225
Rhododendron canescens, 179
— — *subglabrum*, 179
— — *discolor* × (*catawbiense* ×), 48
— — *holmleaense*, 48
— — *obtusum amoenum* × *Kaempferi*, 49
— — — *arnoldianum*, 49
— — *serrulatum*, 179
Rhus canadensis, 177
— — *Cotinus atropurpurea*, 212
— — — *purpureus*, 212

Rhus quercifolia, 177
 — *Toxicodendron*, 177
Robinia ambigua, 39
 — — *bella-rosea*, 40
 — *bella-rosea*, 40
 — *dubia*, 39
 — — *amoena*, 40
 — — *bella-rosea*, 40
 — *echinata*, 39
 — *hybrida*, 39
 — *inermis pyramidalis*, 38
 — *intermedia*, 39
 — *Kelseyi* × *Pseudoacacia*, 38
 — *monophylla*, 37
 — *pseudoacacia bella-rosea*, 40
 — — *dependens*, 38
 — — *erecta*, 38
 — — *fastigiata*, 38
 — — *fastigiata*, 38
 — — *heterophylla*, 37
 — — *monophylla*, 37
 — — — *fastigiata*, 38
 — — — *pendula*, 38
 — — — *pendula monophylla*, 38
 — — — *pyramidalis*, 38
 — — — *unifoliola*, 37
 — *pyramidalis*, 38
 — *Slavinii*, 38
 — *viscosa bella rosea*, 40
Rosa arkansoides alba, 17
 — “Anemonen-Rose,” 13
 — *anemonoides*, 13
 — “Arnold,” 14
 — *arnoldiana*, 14
 — *arvensis* × *rugosa*, 11
 — *Barbierana*, 11
 — *borboniana*, 15
 — *Borbonica*, 15
 — *Bourbonia*, 15
 — *bracteata*, 176
 — *Bruantii*, 12
 — *californica*, 18
 — — *plena*, 18
 — — — *flore pleno*, 18
 — *canina*, 15
 — *canina Bourboniana*, 15
 — *carolina*, 175
 — — *glandulosa*, 16, 232
 — *cherokeensis*, 176
 — *chinensis borbonica*, 15
 — *coreana*, 209
 — “Dawson’s Hybrid Rugosa,” 14
 — *dilecta*, 13
 — *dilecta* × *rugosa*, 12
 — *Eglanteria* × *foetida punicea*, 18
 — *Eglanteria* × *punicea*, 18
 — *formosa*, 15
 — *gallica Bourboniana*, 15
 — — *damascena*, 15
 — — *macrantha*, 14
 — *heliophila alba*, 17
 — *humilis*, 175
 — “Hybrid Tea Rose,” 13
 — “Hybrid Tea scented Roses,” 13
 — *indica borbonica*, 15
 — *Jackii*, 209
 — *Jacksonii*, 12
 — *Kelleri*, 209
 — *laevigata*, 176
 — — × *chinensis* “Rose Anémone,” 13

Rosa laevigata × *odorata*, 13
 — — “Anemonen Rose,” 13
 — — “Rose-Anemone,” 13
 — *lucida alba*, 17
 — *lutea* × *rubiginosa*, 18
 — *Lyonii*, 176
 — — *alba*, 17
 — *macrantha*, 14
 — *Maximowicziana Jackii*, 209
 — *mexicana*, 16
 — *multiflora cathayensis* × *Wichuriana*, 11
 — *odorata* × *borboniana*, 13
 — — × *rugosa*, 12
 — *omeiensis chrysocarpa*, 210
 — *parviflora glandulosa*, 16
 — — *setigera*, 16
 — *Paulii*, 11
 — — *rosea*, 12
 — *pratincola alba*, 17
 — *Penzanceana*, 18
 — *Richardii*, 14
 — “Roses Hybrides de The,” 13
 — *rubiginosa* × *lutea*, 18
 — — × *lutea punicea*, 18
 — *rugosa* × *borboniana*, 14
 — — *repens alba*, 11
 — — — *repens rosea*, 12
 — — × *Wichuraiana*, 12
 — *sancta*, 14
 — *serrulata*, 16
 — *sinica* “Anemone,” 13
 — *suffulta alba*, 17
 — “Tea Hybrids,” 13
 — “The Hybrid-Rosen,” 13
 — *Treleasei*, 176
 — *virginiana alba*, 17
 — — *lamprophylla*, 15
 — *Waitziana macrantha*, 14
 — *Wichuraiana rubra*, 11
Rubus Andrewsianus, 175
 — *argutus*, 175
 — *carpinifolius*, —
 — *cuneifolius*, 175
 — *floridus*, 175
 — *humilis*, 175
 — *ostryifolius*, 175
 — *procumbens*, 175
 — *rubrisetus*, 175
 — *trivialis*, 175
 — *villosus*, 175

Sabal Adansonii, 173

— *glabra*, 173

Salix, A complete list of all species, varieties and forms mentioned in Schneider, Notes on American Willows, vol. I-III, will be found on p. 117-125.

SARGENT, C. S. The first fifty years of the Arnold Arboretum, 127

— Notes on North American Trees, IX, X, 1, 182

Sarothamnus erniensis, 35

SCHNEIDER, CAMILLO. Notes on American Willows, XII, 61

Sebastiana ligustrina, 177

Serenoa serrulata, 173

Shrubs of Louisiana, A list of the, 173

Skimmia Foremanii, 211

Skimmia Foremanii Rogersii, 211
 — *Fortunei*, 210
 — — *argentea*, 211
 — — *rubella*, 211
 — *intermedia*, 211
 — *japonica*, 210
 — — *argentea variegata*, 211
 — — × *Reevesiana*, 211
 — — *variegata*, 211
 — *Reevesiana*, 210
 — — *rubella*, 211
 — — *variegata*, 211
 — *Rogersii*, 211
 — *rubella*, 211
Smilax bona-nox, 174
 — *hispida*, 173
 — *lanceolata*, 174
 — *laurifolia*, 174
 — *pumila*, 173
 — *rotundifolia*, 173
 — *Walteri*, 174
Sophora chinensis, 32
 — *japonica chinensis*, 32
 — — *Korolkowii*, 32
 — — *pubescens*, 32
 — — *tomentosa*, 32
 — — *vestita*, 32
 — — *violacea*, 33
 — *Korolkowii*, 32
 — *pubescens*, 32
 — *sinensis*, 32
 — *tomentosa*, 32
 — *violacea*, 32
Spartium virgatum, 34
Spiraea salicifolia, 175
Staphylea trifoliata, 177
Stewartia malacodendron, 179
Styphnolobium japonicum pubescens, 32
Styrax americana, 180
 — *pulverulenta*, 180
Symporicarpus orbiculatus, 181
Synstima acuminata, 214
 — *ambigua*, 214
 — *caroliniana*, 214

Tamarix gallica, 179
Thea elongata, 224
 TUCKER, ETHELYN M. Bibliographical Notes, 227
 Two New Asiatic Poplars, 225

Ulmus americana columnaris, 42

Vaccinium corymbosum, 180
 — — *fuscatum*, 180
 — *Elliottii*, 180
 — *fuscatum*, 180

Vaccinium melanocarpum, 180
 — *myrsinites*, 180
 — *stamineum*, 180
 — *tenellum*, 180
 — *vacillans*, 180
 — *virgatum*, 180
Viburnum acerifolium, 181
 — *corymbosum*, 214
 — *dilatatum xanthocarpum*, 51
 — *nudum*, 181
 — — *angustifolium*, 181
 — *ovatum*, 214
 — *Sargentii flavum*, 224
 — *scabrellum*, 181
Vitex Agnus-castus, 181
Vitis aestivalis, 178
 — *Andersonii*, 44
 — *candicans*, 178
 — *cinerea*, 178
 — *Coignetiae* × *vulpina*, 44
 — *cordifolia*, 178
 — *Davidiana*, 223
 — *ficifolia Thunbergii*, 222
 — *Labrusca sinuata*, 222
 — *Lecontiana* × *vulpina*, 43
 — *Linsecomii*, 178
 — *Pagnucci*, 223
 — *palmata*, 178
 — *Piasezkii Pagnucci*, 223
 — *rotundifolia*, 178
 — *rufotomentosa*, 178
 — *rupestris*, 178
 — *Slavinii*, 43
 — *Thunbergii partita*, 222
 — — *sinuata*, 222
 — *tiliifolia*, 178
 Voss. Vilmorin's blumen-gärtnerei. Bibliographical Notes, 229

 Willmott. The genus Rosa. Bibliographical Notes, 230
 WILSON, E. H. Notes from Australasia, III, The Hobart Botanical Gardens, 51
 Wilson, E. H., in East Africa, 56
Winteria triflora, 213
Wistaria formosa, 36
 — *floribunda alba* × *sinensis*, 36
 — *macrostachya*, 176

Zanthoxylum clava-Herculis, 182
Zizphus mauritiana, 220
 — *jujuba*, 178
 — — *inermis*, 220
 — *sativa*, 178
 — — *inermis*, 220
 — *vulgaris*, 178
 — — *inermis*, 220